



TESLA CABLES

# CENOVNIK PROVODNIKA I KABLOVA SEPTEMBAR 2023

---

TESLA KABELI d.o.o. | Batajnički drum 10. deo broj 1 | 11080 Zemun | Srbija • Tel: +381 11 4144-690 • MB: 21075680 • PIB: 108828595  
ERSTE & STEIERMARKISCHE BANK: 340-11012299-69  
[www.teslacables.com](http://www.teslacables.com) | [office@teslacables.com](mailto:office@teslacables.com)



| <b>H07V-U</b>                |                |              |            |            |                |
|------------------------------|----------------|--------------|------------|------------|----------------|
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 1.5                          | 30.33          | 2.6          | 14.4       |            | 19             |
| 2.5                          | 48.11          | 3.2          | 24.0       |            | 31             |
| 4                            | 76.99          | 3.7          | 38.4       |            | 46             |
| 6                            | 110.86         | 4.2          | 57.6       |            | 62             |
| 10                           | 121.15         | 5.3          | 96.0       |            | 104            |
|                              |                |              |            |            |                |
|                              |                |              |            |            |                |
|                              |                |              |            |            |                |
| <b>H07V-R</b>                |                |              |            |            |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 10                           | 189.23         | 5.7          | 96.0       |            | 108            |
| 16                           | 287.79         | 6.7          | 153.6      |            | 162            |
|                              |                |              |            |            |                |
|                              |                |              |            |            |                |
|                              |                |              |            |            |                |
| <b>H07V-K</b>                |                |              |            |            |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 0.5                          | 12.53          | 2.0          | 4.8        |            | 8              |
| 0.75                         | 16.86          | 2.2          | 7.2        |            | 11             |
| 1                            | 20.91          | 2.4          | 9.6        |            | 13             |
| 1.5                          | 28.55          | 2.8          | 14.4       |            | 20             |
| 2.5                          | 45.45          | 3.5          | 24.0       |            | 31             |
| 4                            | 72.60          | 4.0          | 38.4       |            | 45             |
| 6                            | 108.76         | 5.0          | 57.6       |            | 64             |
| 10                           | 187.62         | 6.7          | 96.0       |            | 110            |
| 16                           | 293.80         | 7.6          | 153.6      |            | 164            |
| 25                           | 464.44         | 8.1          | 240.0      |            | 290            |
| 35                           | 650.14         | 9.2          | 336.0      |            | 380            |
| 50                           | 944.63         | 11.6         | 480.0      |            | 550            |
| 70                           | 1298.19        | 13.4         | 672.0      |            | 716            |
| 95                           | 1708.02        | 15.5         | 912.0      |            | 976            |
| 120                          | 2186.55        | 17.1         | 1152.0     |            | 1214           |
| 150                          | 2749.04        | 22.0         | 1440.0     |            | 1530           |
| 185                          | 3297.44        | 25.0         | 1776.0     |            | 1900           |
| 240                          | 4355.48        | 28.0         | 2304.0     |            | 2450           |

| <b>YM</b>                       |                   | <b>PP / NYM / (N)YM</b> |               |               |                   |
|---------------------------------|-------------------|-------------------------|---------------|---------------|-------------------|
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm)         | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 2 x 1,5                         | 80.04             | 7.9                     | 28.8          |               | 81                |
| 3 x 1,5 R50/R100                | 98.73             | 8.3                     | 43.2          |               | 99                |
| 3 x 1,5 bubanj                  | 98.73             | 8.3                     | 43.2          |               | 99                |
| 4 x 1,5                         | 139.21            | 9.9                     | 57.6          |               | 121               |
| 5 x 1,5 R50/R100                | 156.76            | 9.7                     | 72.0          |               | 144               |
| 5 x 1,5 bubanj                  | 156.76            | 9.7                     | 72.0          |               | 144               |
| 7 x 1,5                         | 238.56            | 10.4                    | 100.8         |               | 208               |
|                                 |                   |                         |               |               |                   |
| 2 x 2,5                         | 126.43            | 9.2                     | 48.0          |               | 135               |
| 3 x 2,5 R50/R100                | 151.21            | 9.7                     | 72.0          |               | 141               |
| 3 x 2,5 bubanj                  | 151.21            | 9.7                     | 72.0          |               | 141               |
| 4 x 2,5                         | 196.99            | 10.5                    | 96.0          |               | 175               |
| 5 x 2,5 R50/R100                | 243.93            | 11.5                    | 120.0         |               | 209               |
| 5 x 2,5 bubanj                  | 243.93            | 11.5                    | 120.0         |               | 209               |
|                                 |                   |                         |               |               |                   |
| 3 x 4                           | 251.78            | 10.7                    | 115.2         |               | 232               |
| 4 x 4                           | 321.03            | 12.0                    | 153.6         |               | 271               |
| 5 x 4                           | 411.09            | 13.5                    | 192.0         |               | 323               |
|                                 |                   |                         |               |               |                   |
| 3 x 6                           | 374.71            | 12.3                    | 172.8         |               | 322               |
| 4 x 6                           | 480.80            | 13.7                    | 230.4         |               | 344               |
| 5 x 6                           | 591.20            | 15.0                    | 288.0         |               | 410               |
|                                 |                   |                         |               |               |                   |
| 4 x 10                          | 658.45            | 16.4                    | 384.0         |               | 555               |
| 5 x 10                          | 988.42            | 18.0                    | 480.0         |               | 665               |
|                                 |                   |                         |               |               |                   |
|                                 |                   |                         |               |               |                   |
|                                 |                   |                         |               |               |                   |
| <b>PP/R</b>                     |                   | <b>NYIFY</b>            |               |               |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm)         | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 2 x 1,5                         | 0.00              | 3.0                     | 28.8          |               | 60                |
| 3 x 1,5                         | 0.00              | 3.2                     | 43.2          |               | 86                |
| 3 x 2,5                         | 0.00              | 4.0                     | 72.0          |               | 130               |
|                                 |                   |                         |               |               |                   |
|                                 |                   |                         |               |               |                   |
|                                 |                   |                         |               |               |                   |
| <b>H03VH-H</b>                  |                   | <b>P/L</b>              |               |               |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm)         | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 2 x 0,75                        | 41.18             | 2.7                     | 9.6           |               | 33                |

| <b>H03VV-F</b>                  |                   |                 |               |               | <b>PP/L</b>       |  |
|---------------------------------|-------------------|-----------------|---------------|---------------|-------------------|--|
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |  |
| <b>2 x 0,75</b>                 | <b>44.85</b>      | 5.2             | 14.4          |               | 45                |  |
| <b>3 x 0,75</b>                 | <b>62.87</b>      | 5.5             | 21.6          |               | 53                |  |
| <b>4 x 0,75</b>                 | <b>77.69</b>      | 6.1             | 28.8          |               | 66                |  |
| <b>5 x 0,75</b>                 | <b>96.65</b>      | 6.8             | 36.0          |               | 81                |  |
|                                 |                   |                 |               |               |                   |  |
|                                 |                   |                 |               |               |                   |  |
| <b>H05VV-F</b>                  |                   |                 |               |               | <b>PP/J</b>       |  |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |  |
| <b>2 x 1</b>                    | <b>62.56</b>      | 6.2             | 19.2          |               | 67                |  |
| <b>3 x 1</b>                    | <b>80.00</b>      | 6.6             | 28.8          |               | 79                |  |
| <b>4 x 1</b>                    | <b>100.49</b>     | 7.4             | 38.4          |               | 86                |  |
| <b>5 x 1</b>                    | <b>120.91</b>     | 8.1             | 48.0          |               | 102               |  |
| <b>7 x 1</b>                    | <b>209.95</b>     | 9.0             | 67.2          |               | 136               |  |
|                                 |                   |                 |               |               |                   |  |
| <b>2 x 1,5</b>                  | <b>79.77</b>      | 7.0             | 28.8          |               | 89                |  |
| <b>3 x 1,5</b>                  | <b>110.59</b>     | 7.6             | 43.2          |               | 111               |  |
| <b>4 x 1,5</b>                  | <b>146.89</b>     | 8.5             | 57.6          |               | 141               |  |
| <b>5 x 1,5</b>                  | <b>175.49</b>     | 9.5             | 72.0          |               | 177               |  |
| <b>7 x 1,5</b>                  | <b>258.23</b>     | 10.6            | 100.8         |               | 189               |  |
|                                 |                   |                 |               |               |                   |  |
| <b>2 x 2,5</b>                  | <b>118.72</b>     | 8.8             | 48.0          |               | 116               |  |
| <b>3 x 2,5</b>                  | <b>175.72</b>     | 9.5             | 72.0          |               | 169               |  |
| <b>4 x 2,5</b>                  | <b>220.11</b>     | 10.4            | 96.0          |               | 207               |  |
| <b>5 x 2,5</b>                  | <b>272.83</b>     | 11.5            | 120.0         |               | 259               |  |
|                                 |                   |                 |               |               |                   |  |
|                                 |                   |                 |               |               |                   |  |
|                                 |                   |                 |               |               |                   |  |

| <b>H05RR-F</b>               |                |              |            | <b>GG/J</b> |                |
|------------------------------|----------------|--------------|------------|-------------|----------------|
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)  | Težina (kg/km) |
| 2 x 1,5                      | 108.51         | 8.5          | 28.8       |             | 110            |
| 3 x 1,5                      | 133.27         | 9.0          | 43.2       |             | 130            |
| 4 x 1,5                      | 170.42         | 10.0         | 57.6       |             | 160            |
| 5 x 1,5                      | 216.12         | 11.5         | 72.0       |             | 200            |
|                              |                |              |            |             |                |
| 2 x 2,5                      | 207.84         | 10.5         | 48.0       |             | 150            |
| 3 x 2,5                      | 196.53         | 11.0         | 72.0       |             | 190            |
| 4 x 2,5                      | 252.14         | 12.0         | 96.0       |             | 240            |
| 5 x 2,5                      | 320.80         | 13.0         | 120.0      |             | 290            |
|                              |                |              |            |             |                |
| <b>H07RN-F</b>               |                |              |            |             |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)  | Težina (kg/km) |
| 2 x 1,5                      | 121.86         | 10.0         | 28.8       |             | 130            |
| 3 x 1,5                      | 160.29         | 11.0         | 43.2       |             | 170            |
| 4 x 1,5                      | 201.82         | 12.0         | 57.6       |             | 200            |
| 5 x 1,5                      | 252.82         | 13.0         | 72.0       |             | 240            |
| 7 x 1,5                      | 430.22         | 16.0         | 100.8      |             | 342            |
|                              |                |              |            |             |                |
| 2 x 2,5                      | 188.02         | 12.0         | 48.0       |             | 190            |
| 3 x 2,5                      | 231.88         | 12.5         | 72.0       |             | 240            |
| 4 x 2,5                      | 298.95         | 14.0         | 96.0       |             | 275            |
| 5 x 2,5                      | 369.88         | 15.5         | 120.0      |             | 340            |
|                              |                |              |            |             |                |
| 4 x 4                        | 457.57         | 16.5         | 153.6      |             | 410            |
| 5 x 4                        | 541.43         | 18.5         | 192.0      |             | 500            |
|                              |                |              |            |             |                |
| 4 x 6                        | 629.56         | 19.0         | 230.4      |             | 500            |
| 5 x 6                        | 746.29         | 21.0         | 288.0      |             | 650            |
|                              |                |              |            |             |                |
| 5 x 10                       | 1330.04        | 26.5         | 480.0      |             | 1120           |
|                              |                |              |            |             |                |
| 5 x 16                       | 1898.03        | 30.5         | 768.0      |             | 1550           |
|                              |                |              |            |             |                |
| 5 x 25                       | 3033.36        | 37.5         | 1200.0     |             | 2300           |
|                              |                |              |            |             |                |
| <b>H01N2-D</b>               |                |              |            | <b>KZS</b>  |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)  | Težina (kg/km) |
| 16                           | 351.45         | 9.5          | 153.6      |             | 210            |
| 25                           | 513.98         | 11.0         | 240.0      |             | 300            |
| 35                           | 726.84         | 12.0         | 336.0      |             | 400            |

| <b>YSLY</b>                     |                   | <b>LS-YY / Y-JZ</b>   |               |               |                   |
|---------------------------------|-------------------|-----------------------|---------------|---------------|-------------------|
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm)       | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 2 x 0,75                        | 63.41             | 6.5                   | 14.4          |               | 50                |
| 3 x 0,75                        | 64.24             | 6.5                   | 21.6          |               | 65                |
| 4 x 0,75                        | 78.46             | 7.5                   | 28.8          |               | 75                |
| 5 x 0,75                        | 103.30            | 8.0                   | 36.0          |               | 95                |
| 7 x 0,75                        | 135.56            | 8.5                   | 50.4          |               | 120               |
| 12 x 0,75                       | 249.33            | 11.5                  | 86.4          |               | 180               |
|                                 |                   |                       |               |               |                   |
| 2 x 1                           | 56.71             | 7.0                   | 19.2          |               | 65                |
| 3 x 1                           | 76.92             | 7.5                   | 28.8          |               | 75                |
| 4 x 1                           | 100.73            | 8.0                   | 38.4          |               | 95                |
| 5 x 1                           | 132.12            | 8.5                   | 48.0          |               | 120               |
| 7 x 1                           | 176.21            | 9.0                   | 67.2          |               | 140               |
|                                 |                   |                       |               |               |                   |
| 3 x 1,5                         | 104.59            | 8.0                   | 43.2          |               | 100               |
| 4 x 1,5                         | 135.17            | 8.5                   | 57.6          |               | 120               |
| 5 x 1,5                         | 170.05            | 9.5                   | 72.0          |               | 150               |
| 6 x 1,5                         | 0.00              | 10.5                  | 86.4          |               | 170               |
| 7 x 1,5                         | 232.03            | 10.5                  | 100.8         |               | 190               |
| 12 x 1,5                        | 423.81            | 14.0                  | 172.8         |               | 320               |
| 21 x 1,5                        | 734.08            | 17.5                  | 302.4         |               | 520               |
| 25 x 1,5                        | 865.83            | 20.5                  | 360.0         |               | 660               |
|                                 |                   |                       |               |               |                   |
| 3 x 2,5                         | 168.98            | 9.5                   | 72.0          |               | 140               |
| 4 x 2,5                         | 219.56            | 10.0                  | 96.0          |               | 180               |
| 5 x 2,5                         | 278.62            | 11.0                  | 120.0         |               | 220               |
| 7 x 2,5                         | 382.85            | 12.5                  | 168.0         |               | 290               |
| 12 x 2,5                        | 670.61            | 17.0                  | 288.0         |               | 490               |
|                                 |                   |                       |               |               |                   |
| <b>YSLCY</b>                    |                   | <b>LS-YCVY / C-JZ</b> |               |               |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm)       | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 2 x 0,75                        | 80.75             | 8.5                   | 41.3          |               | 120               |
| 3 x 0,75                        | 101.31            | 9.0                   | 49.9          |               | 130               |
| 4 x 0,75                        | 123.49            | 9.5                   | 58.6          |               | 150               |
| 5 x 0,75                        | 156.38            | 10.5                  | 69.1          |               | 170               |
| 7 x 0,75                        | 200.03            | 11.0                  | 85.4          |               | 200               |
| 12 x 0,75                       | 327.10            | 13.5                  | 132.5         |               | 280               |
|                                 |                   |                       |               |               |                   |
| 2 x 1                           | 94.69             | 9.0                   | 49.0          |               | 120               |
| 3 x 1                           | 123.28            | 9.5                   | 59.5          |               | 140               |
| 4 x 1                           | 151.12            | 10.0                  | 71.0          |               | 160               |
| 5 x 1                           | 189.82            | 11.0                  | 84.5          |               | 190               |
| 7 x 1                           | 251.03            | 11.5                  | 107.5         |               | 220               |
| 12 x 1                          | 399.42            | 14.5                  | 167.0         |               | 340               |

| <b>YSLCY</b>                 |                | <b>LS-YCVY / C-JZ</b> |            |            |                |
|------------------------------|----------------|-----------------------|------------|------------|----------------|
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm)          | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 3 x 1,5                      | 160.14         | 10.5                  | 78.7       |            | 170            |
| 4 x 1,5                      | 205.69         | 11.0                  | 96.0       |            | 200            |
| 5 x 1,5                      | 247.94         | 12.0                  | 114.2      |            | 230            |
| 7 x 1,5                      | 326.02         | 13.0                  | 147.8      |            | 280            |
| 12 x 1,5                     | 545.86         | 17.5                  | 257.3      |            | 460            |
| 25 x 1,5                     | 1089.91        | 24.5                  | 508.8      |            | 940            |
|                              |                |                       |            |            |                |
| 3 x 2,5                      | 236.64         | 11.5                  | 114.2      |            | 230            |
| 4 x 2,5                      | 315.50         | 12.5                  | 143.0      |            | 270            |
| 5 x 2,5                      | 393.27         | 13.5                  | 171.8      |            | 320            |
| 7 x 2,5                      | 533.80         | 15.5                  | 243.8      |            | 410            |
| 12 x 2,5                     | 886.14         | 20.0                  | 390.7      |            | 670            |
|                              |                |                       |            |            |                |
| <b>EYY</b>                   |                | <b>PP00 / NYY</b>     |            |            |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm)          | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 1 x 16                       | 337.57         | 9.4                   | 153.6      |            | 218            |
| 1 x 25                       | 512.00         | 11.3                  | 240.0      |            | 324            |
| 1 x 35                       | 669.57         | 12.4                  | 336.0      |            | 419            |
| 1 x 50                       | 931.52         | 13.8                  | 480.0      |            | 554            |
| 1 x 70                       | 1292.50        | 15.8                  | 672.0      |            | 772            |
| 1 x 95                       | 1735.04        | 17.6                  | 912.0      |            | 1016           |
| 1 x 120                      | 2134.69        | 19.1                  | 1152.0     |            | 1286           |
| 1 x 150                      | 2666.89        | 20.8                  | 1440.0     |            | 1578           |
| 1 x 185                      | 3278.72        | 25.5                  | 1776.0     |            | 2088           |
| 1 x 240                      | 4227.41        | 27.9                  | 2304.0     |            | 2652           |
|                              |                |                       |            |            |                |
| 2 x 1.5                      | 89.62          | 10.1                  | 28.8       |            | 152            |
| 2 x 2,5                      | 122.43         | 10.9                  | 48.0       |            | 189            |
|                              |                |                       |            |            |                |
| 3 x 1.5 RE                   | 113.05         | 10.5                  | 43.2       |            | 135            |
| 3 x 2.5 RE                   | 167.63         | 11.4                  | 72.0       |            | 183            |
| 3 x 4 RE                     | 318.08         | 13.1                  | 115.2      |            | 305            |
| 3 x 6 RE                     | 413.35         | 14.1                  | 172.8      |            | 383            |
|                              |                |                       |            |            |                |
| 4 x 1.5 RE                   | 148.12         | 11.2                  | 57.6       |            | 159            |
| 4 x 2,5 RE                   | 214.79         | 12.2                  | 96.0       |            | 213            |
| 4 x 4 RE                     | 351.65         | 14.1                  | 153.6      |            | 322            |
| 4 x 6 RE                     | 492.93         | 15.3                  | 230.4      |            | 402            |
| 4 x 10 RE                    | 814.15         | 17.2                  | 384.0      |            | 606            |
| 4 x 16 RM                    | 1256.52        | 21.1                  | 614.4      |            | 913            |
| 4 x 25 RM                    | 1954.47        | 25.3                  | 960.0      |            | 1379           |
| 4 x 35 SM                    | 2666.48        | 26.0                  | 1344.0     |            | 1578           |
| 4 x 50 SM                    | 3559.90        | 28.4                  | 1920.0     |            | 2125           |



| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
|---------------------------------|-------------------|-----------------|---------------|---------------|-------------------|
| 4 x 150 SM                      | 10573.04          | 49.0            | 5760.0        |               | 6258              |
| 4 x 185 SM                      | 13114.09          | 52.0            | 7104.0        |               | 7787              |
| 4 x 240 SM                      | 17091.60          | 58.9            | 9216.0        |               | 10094             |
|                                 |                   |                 |               |               |                   |
| 5 x 1.5 RE                      | 175.90            | 12.0            | 72.0          |               | 185               |
| 5 x 2.5 RE                      | 264.27            | 13.1            | 120.0         |               | 248               |
| 5 x 4 RE                        | 429.41            | 15.3            | 192.0         |               | 379               |
| 5 x 6 RE                        | 617.94            | 16.6            | 288.0         |               | 481               |
| 5 x 10 RE                       | 1003.05           | 18.8            | 480.0         |               | 737               |
| 5 x 16 RM                       | 1536.78           | 23.7            | 768.0         |               | 1118              |
| 5 x 25 RM                       | 2429.64           | 27.7            | 1200.0        |               | 1694              |
| 5 x 35 RM                       | 3319.19           | 31.0            | 1680.0        |               | 2233              |
|                                 |                   |                 |               |               |                   |
| 7 x 1.5 RE                      | 297.36            | 12.9            | 100.8         |               | 282               |
| 12 x 1.5 RE                     | 491.61            | 16.1            | 172.8         |               | 437               |
| 24 x 1.5 RE                     | 952.56            | 21.9            | 345.6         |               | 816               |
|                                 |                   |                 |               |               |                   |
| 7 x 2.5 RE                      | 436.18            | 14.1            | 168.0         |               | 374               |
| 12 x 2.5 RE                     | 706.10            | 17.8            | 288.0         |               | 630               |
| 24 x 2.5 RE                     | 1474.84           | 24.8            | 576.0         |               | 1146              |
|                                 |                   |                 |               |               |                   |
| <b>N2XH</b>                     |                   |                 |               | <b>N2XH</b>   |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 1 x 16                          | 366.72            | 9.8             | 153.6         |               | 226               |
| 1 x 25                          | 540.47            | 11.4            | 240.0         |               | 327               |
| 1 x 35                          | 740.16            | 12.6            | 336.0         |               | 429               |
| 1 x 50                          | 956.93            | 13.8            | 480.0         |               | 555               |
| 1 x 70                          | 1318.46           | 15.7            | 672.0         |               | 765               |
| 1 x 95                          | 1806.96           | 17.6            | 912.0         |               | 1024              |
| 1 x 120                         | 2265.24           | 19.1            | 1152.0        |               | 1270              |
| 1 x 150                         | 2801.51           | 20.9            | 1440.0        |               | 1550              |
| 1 x 185                         | 3418.76           | 23.5            | 1776.0        |               | 1950              |
|                                 |                   |                 |               |               |                   |
| 2 x 1.5                         | 106.52            | 9.3             | 28.8          |               | 130               |
|                                 |                   |                 |               |               |                   |
| 3 x 1.5 RE                      | 134.82            | 9.7             | 43.2          |               | 142               |
| 3 x 2.5 RE                      | 195.10            | 10.7            | 72.0          |               | 184               |
|                                 |                   |                 |               |               |                   |
| 4 x 1.5 RE                      | 167.71            | 10.4            | 57.6          |               | 166               |
| 4 x 2,5 RE                      | 249.13            | 11.4            | 96.0          |               | 220               |
| 4 x 4 RE                        | 375.15            | 13.8            | 153.6         |               | 305               |
| 4 x 6 RE                        | 533.43            | 13.8            | 230.4         |               | 400               |
| 4 x 10 RE                       | 864.15            | 16.3            | 384.0         |               | 601               |
| 4 x 16 RM                       | 1432.20           | 19.2            | 614.4         |               | 900               |
| 4 x 25 RM                       | 2157.54           | 24.0            | 960.0         |               | 1400              |
| 4 x 35 SM                       | 3003.24           | 26.5            | 1344.0        |               | 1850              |





| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
|---------------------------------|-------------------|-----------------|---------------|---------------|-------------------|
| 4 x 120 SM                      | 8949.62           | 40.8            | 4608.0        |               | 5320              |
| 5 x 1.5 RE                      | 203.99            | 11.3            | 72.0          |               | 195               |
| 5 x 2.5 RE                      | 304.06            | 12.4            | 120.0         |               | 260               |
| 5 x 4 RE                        | 457.93            | 13.8            | 192.0         |               | 360               |
| 5 x 6 RE                        | 656.03            | 15.5            | 288.0         |               | 490               |
| 5 x 10 RE                       | 1078.65           | 17.9            | 480.0         |               | 730               |
| 5 x 16 RM                       | 1747.21           | 22.0            | 768.0         |               | 1120              |
| 5 x 25 RM                       | 2678.87           | 27.1            | 1200.0        |               | 1460              |
| <b>NYCY</b>                     |                   |                 |               | <b>PP40</b>   |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 2 x 1,5 / 1,5                   | 183.59            | 12.5            | 48.0          |               | 198               |
| 2 x 2,5 / 2,5                   | 135.49            | 13.9            | 75.0          |               | 257               |
| 2 x 4 / 4                       | 208.32            | 15.5            | 110.0         |               | 345               |
| 2 x 6 / 6                       | 308.25            | 16.8            | 165.0         |               | 425               |
| 3 x 1,5 / 1,5                   | 111.78            | 13.4            | 59.0          |               | 215               |
| 3 x 2,5 / 2,5                   | 184.66            | 14.1            | 90.0          |               | 275               |
| 4 x 1,5 / 1,5                   | 258.59            | 14.1            | 72.0          |               | 245               |
| 4 x 2,5 / 2,5                   | 216.79            | 15.1            | 117.0         |               | 335               |
| 4 x 4 / 4                       | 338.73            | 17.4            | 182.0         |               | 455               |
| 4 x 6 / 6                       | 703.00            | 18.4            | 272.0         |               | 575               |
| 5 x 2,5 / 2,5                   | 413.17            | 16.2            | 139.0         |               | 380               |
| 7 x 1,5 / 2,5                   | 380.14            | 15.5            | 125.0         |               | 350               |
| 10 x 1,5 / 2,5                  | 517.17            | 18.1            | 165.0         |               | 451               |
| 12 x 1,5 / 2,5                  | 626.55            | 19.2            | 188.0         |               | 465               |
| 16 x 1,5 / 4                    | 767.71            | 20.5            | 262.0         |               | 645               |
| 19 x 1,5 / 4                    | 946.13            | 22.3            | 299.0         |               | 665               |
| 24 x 1,5 / 6                    | 1160.01           | 25.2            | 388.0         |               | 915               |
| 7 x 2,5 / 2,5                   | 519.66            | 17.2            | 185.0         |               | 440               |
| 10 x 2,5 / 4                    | 707.58            | 20.1            | 270.0         |               | 600               |
| 12 x 2,5 / 4                    | 816.11            | 20.9            | 305.0         |               | 656               |
| 16 x 2,5 / 6                    | 1071.23           | 22.4            | 428.0         |               | 815               |
| 19 x 2,5 / 6                    | 1306.40           | 23.8            | 483.0         |               | 933               |
| 24 x 2,5 / 10                   | 1716.65           | 26.6            | 636.0         |               | 1160              |
| <b>NHXX FE180/E90</b>           |                   |                 |               | <b>E90</b>    |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |



| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
|---------------------------------|-------------------|-----------------|---------------|---------------|-------------------|
| 1 x 95                          | 224.46            | 20.0            | 912.0         |               | 1100              |
| 1 x 120                         | 271.35            | 21.0            | 1152.0        |               | 1350              |
| 1 x 150                         | 316.67            | 24.0            | 1440.0        |               | 1650              |
|                                 |                   |                 |               |               |                   |
| 2 x 1.5                         | 135.42            | 13.0            | 28.8          |               | 200               |
|                                 |                   |                 |               |               |                   |
| 3 x 1.5 RE                      | 182.05            | 13.5            | 43.2          |               | 210               |
| 3 x 2.5 RE                      | 266.79            | 14.6            | 72.0          |               | 243               |
|                                 |                   |                 |               |               |                   |
| 4 x 1.5 RE                      | 239.04            | 15.0            | 57.6          |               | 245               |
| 4 x 2,5 RE                      | 342.92            | 16.0            | 96.0          |               | 299               |
| 4 x 4 RE                        | 711.75            | 17.0            | 153.6         |               | 376               |
| 4 x 6 RE                        | 881.41            | 18.5            | 230.4         |               | 474               |
| 4 x 10 RE                       | 1063.43           | 20.5            | 384.0         |               | 657               |
|                                 |                   |                 |               |               |                   |
| 5 x 1.5 RE                      | 292.68            | 15.5            | 72.0          |               | 290               |
| 5 x 2.5 RE                      | 423.66            | 17.0            | 120.0         |               | 359               |
| 5 x 4 RE                        | 620.46            | 18.5            | 192.0         |               | 457               |
| 5 x 6 RE                        | 854.78            | 20.0            | 288.0         |               | 577               |
| 5 x 10 RE                       | 1475.25           | 22.0            | 480.0         |               | 807               |
|                                 |                   |                 |               |               |                   |
| <b>FG16OR16</b>                 |                   |                 |               |               |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 1 x 95                          | 1853.04           | 20.4            | 912.0         |               | 960               |
| 1 x 120                         | 2356.22           | 22.4            | 1152.0        |               | 1210              |
| 1 x 150                         | 2981.62           | 24.8            | 1440.0        |               | 1480              |
| 1 x 185                         | 3656.20           | 27.0            | 1776.0        |               | 1790              |
| 1 x 240                         | 5017.43           | 30.2            | 2304.0        |               | 2320              |
| 1 x 300                         | 5808.24           | 33.0            | 2880.0        |               | 2840              |
|                                 |                   |                 |               |               |                   |
| 2 x 1,5                         | 116.84            | 12.0            | 28.8          |               | 130               |
| 2 x 2,5                         | 166.24            | 13.0            | 48.0          |               | 165               |
|                                 |                   |                 |               |               |                   |
| 3 x 1,5                         | 149.39            | 12.5            | 43.2          |               | 150               |
| 3 x 2,5                         | 214.95            | 13.6            | 72.0          |               | 190               |
| 3 x 4                           | 312.12            | 14.9            | 115.2         |               | 250               |
| 3 x 6                           | 443.24            | 16.2            | 172.8         |               | 320               |
|                                 |                   |                 |               |               |                   |
| 4 x 1,5                         | 185.09            | 13.4            | 57.6          |               | 170               |
| 4 x 2,5                         | 270.44            | 14.6            | 96.0          |               | 220               |
| 4 x 4                           | 396.29            | 16.0            | 153.6         |               | 295               |
| 4 x 6                           | 570.26            | 17.5            | 230.4         |               | 385               |
| 4 x 10                          | 916.22            | 19.8            | 384.0         |               | 575               |
| 4 x 16                          | 1399.14           | 22.4            | 614.4         |               | 795               |
| 4 x 25                          | 2105.92           | 26.8            | 960.0         |               | 1205              |



| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)                | Težina (kg/km) |
|------------------------------|----------------|--------------|------------|---------------------------|----------------|
| 5 x 10                       | 1132.80        | 21.5         | 480.0      |                           | 680            |
| 5 x 16                       | 1734.79        | 24.4         | 768.0      |                           | 970            |
| 5 x 25                       | 2605.12        | 29.3         | 1200.0     |                           | 1470           |
| 5 x 35                       | 3570.97        | 32.8         | 1680.0     |                           | 1990           |
| 7 x 1,5                      | 342.82         | 15.4         | 100.8      |                           | 260            |
| <b>Solar</b>                 |                |              |            | <b>PV1-F</b>              |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)                | Težina (kg/km) |
| 4                            | 108.26         | 6.5          | 38.4       |                           | 60             |
| 6                            | 145.86         | 7.0          | 57.6       |                           | 79             |
| 10                           | 248.24         | 8.7          | 96.0       |                           | 130            |
| <b>Bakreno uže</b>           |                |              |            |                           |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)                | Težina (kg/km) |
| 25                           | 525.96         | 6.0          | 223.0      |                           | 223            |
| 35                           | 621.62         | 7.0          | 309.0      |                           | 309            |
| 50                           | 821.95         | 8.0          | 417.0      |                           | 417            |
| 70                           | 1233.42        | 10.0         | 616.0      |                           | 616            |
| 95                           | 1638.51        | 12.0         | 822.0      |                           | 822            |
| <b>E-AYY</b>                 |                |              |            | <b>PP00-A / NAYY</b>      |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)                | Težina (kg/km) |
| 4 x 16 RM                    | 313.85         | 20.1         |            | 220                       | 780            |
| 4 x 25 RM                    | 450.35         | 25.3         |            | 290                       | 852            |
| 4 x 35 SM                    | 503.80         | 25.6         |            | 406                       | 771            |
| 4 x 50 SM                    | 669.30         | 28.4         |            | 580                       | 1023           |
| 4 x 70 SM                    | 897.09         | 31.4         |            | 812                       | 1349           |
| 4 x 95 SM                    | 1194.46        | 36.9         |            | 1102                      | 1846           |
| 4 x 120 SM                   | 1469.54        | 39.9         |            | 1392                      | 2206           |
| 4 x 150 SM                   | 1736.56        | 46.0         |            | 1740                      | 2617           |
| 4 x 185 SM                   | 2163.15        | 51.7         |            | 2176                      | 3570           |
| 4 x 240 SM                   | 2842.02        | 57.9         |            | 2822                      | 4380           |
| <b>SKS</b>                   |                |              |            | <b>N1XD4-AR, N1XD9-AR</b> |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)                | Težina (kg/km) |



| <b>SiF</b>                   |                |              |            |            |                |
|------------------------------|----------------|--------------|------------|------------|----------------|
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 0.75                         | 30.59          | 2.4          | 7.7        |            | 12             |
| 1                            | 36.62          | 2.5          | 9.6        |            | 14             |
| 1.5                          | 48.20          | 2.8          | 14.4       |            | 18             |
| 2.5                          | 74.54          | 4.0          | 24.0       |            | 35             |
| 4                            | 114.12         | 5.5          | 38.4       |            | 55             |
| 6                            | 165.98         | 5.2          | 57.6       |            | 71             |
| 10                           | 316.22         | 6.3          | 96.0       |            | 110            |
| 16                           | 491.44         | 8.0          | 153.6      |            | 188            |
| 25                           | 754.62         | 9.9          | 240.0      |            | 296            |
| 35                           | 1030.70        | 11.2         | 336.0      |            | 400            |
| 50                           | 1492.63        | 13.8         | 480.0      |            | 570            |
| 70                           | 2062.71        | 15.0         | 672.0      |            | 740            |
|                              |                |              |            |            |                |
|                              |                |              |            |            |                |
| <b>SiHF</b>                  |                |              |            |            |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 2 x 0,75                     | 113.08         | 6.4          | 14.4       |            | 57             |
| 3 x 0,75                     | 144.82         | 6.8          | 22.1       |            | 67             |
|                              |                |              |            |            |                |
| 2 x 1,5                      | 178.16         | 7.5          | 28.8       |            | 81             |
| 3 x 1,5                      | 206.83         | 8.0          | 43.2       |            | 83             |
| 4 x 1,5                      | 273.41         | 8.8          | 57.6       |            | 120            |
| 5 x 1,5                      | 350.01         | 9.5          | 72.0       |            | 145            |
|                              |                |              |            |            |                |
| 3 x 2,5                      | 337.65         | 9.5          | 72.0       |            | 125            |
| 4 x 2,5                      | 418.42         | 10.5         | 96.0       |            | 180            |
| 5 x 2,5                      | 542.24         | 11.7         | 120.0      |            | 270            |
|                              |                |              |            |            |                |
|                              |                |              |            |            |                |
| <b>H07BQ-F</b>               |                |              |            |            |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 2 x 1,5                      | 192.32         | 8.8          | 28.8       |            | 88             |
| 3 x 1,5                      | 229.91         | 9.3          | 43.2       |            | 110            |
| 4 x 1,5                      | 312.65         | 10.3         | 57.6       |            | 140            |
| 5 x 1,5                      | 375.21         | 11.2         | 72.0       |            | 169            |
|                              |                |              |            |            |                |
| 3 x 2,5                      | 337.33         | 11.0         | 72.0       |            | 163            |
| 4 x 2,5                      | 477.24         | 12.2         | 96.0       |            | 208            |
| 5 x 2,5                      | 545.33         | 13.5         | 120.0      |            | 257            |
|                              |                |              |            |            |                |
| 4 x 4                        | 656.55         | 14.0         | 154.0      |            | 293            |



| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
|------------------------------|----------------|--------------|------------|------------|----------------|
| 4 x 6                        | 0.00           | 15.2         | 230.0      |            | 346            |
| 4 x 10                       | 0.00           | 20.2         | 384.0      |            | 702            |
| 4 x 16                       | 0.00           | 22.8         | 614.4      |            | 981            |
| 5 x 4                        | 738.65         | 15.6         | 192.0      |            | 365            |
| 5 x 6                        | 1090.12        | 17.6         | 288.0      |            | 504            |
| 5 x 10                       | 2105.81        | 23.2         | 480.0      |            | 962            |
| 5 x 16                       | 2650.48        | 27.1         | 768.0      |            | 1379           |
| <b>JB-Y(St)Y</b>             |                |              |            |            |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 1 x 2 x 0,8                  | 38.06          | 5.7          | 11.0       |            | 39             |
| 2 x 2 x 0,8                  | 59.66          | 6.1          | 21.0       |            | 54             |
| <b>J-Y(St)Y</b>              |                |              |            |            |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km) | Težina (kg/km) |
| 1 x 2 x 0,6                  | 25.41          | 4.0          | 11.0       |            | 20             |
| 2 x 2 x 0,6                  | 40.82          | 4.5          | 13.0       |            | 30             |
| 3 x 2 x 0,6                  | 56.22          | 6.5          | 19.0       |            | 50             |
| 4 x 2 x 0,6                  | 70.30          | 7.0          | 25.0       |            | 60             |
| 5 x 2 x 0,6                  | 93.93          | 7.5          | 30.0       |            | 70             |
| 6 x 2 x 0,6                  | 102.41         | 8.0          | 35.0       |            | 80             |
| 10 x 2 x 0,6                 | 156.59         | 10.0         | 59.0       |            | 110            |
| 20 x 2 x 0,6                 | 307.65         | 12.0         | 115.0      |            | 190            |
| 30 x 2 x 0,6                 | 459.66         | 14.0         | 172.0      |            | 280            |
| 50 x 2 x 0,6                 | 745.76         | 17.0         | 286.0      |            | 430            |
| 100 x 2 x 0,6                | 1451.27        | 23.5         | 569.0      |            | 820            |
| <b>TI-44</b>                 |                |              |            |            |                |
| 1 x 2 x 0,8                  | 39.21          | 5.5          | 18.0       |            | 40             |
| 2 x 2 x 0,8                  | 61.46          | 7.0          | 22.0       |            | 60             |
| 3 x 2 x 0,8                  | 95.09          | 8.5          | 31.0       |            | 80             |
| 4 x 2 x 0,8                  | 115.23         | 9.0          | 42.0       |            | 100            |
| 5 x 2 x 0,8                  | 151.29         | 9.5          | 52.0       |            | 120            |
| 6 x 2 x 0,8                  | 167.27         | 11.0         | 62.0       |            | 140            |
| 10 x 2 x 0,8                 | 266.47         | 14.0         | 103.0      |            | 220            |
| 20 x 2 x 0,8                 | 527.29         | 17.0         | 203.0      |            | 370            |
| 30 x 2 x 0,8                 | 773.76         | 21.0         | 304.0      |            | 550            |
| 50 x 2 x 0,8                 | 1229.72        | 25.5         | 506.0      |            | 880            |
| 100x 2 x 0,8                 | 0.00           | 36.0         | 1008.0     |            | 1700           |

| <b>JE-H(ST)H E30/E90</b>         |                |              |                     |            |                |
|----------------------------------|----------------|--------------|---------------------|------------|----------------|
| Dimenzije (mm <sup>2</sup> )     | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km)          | Al (kg/km) | Težina (kg/km) |
| 1 x 2 x 0,8 E30                  | 63.20          | 5.5          | 19.0                |            | 40             |
| 1 x 2 x 0,8 E90                  | 72.76          | 5.5          | 19.0                |            | 40             |
| 2 x 2 x 0,8 E30                  | 94.61          | 6.8          | 25.0                |            | 61             |
| 2 x 2 x 0,8 E90                  | 124.67         | 6.8          | 25.0                |            | 61             |
| <b>Koax</b>                      |                |              | <b>RG / CATV</b>    |            |                |
| Dimenzije (mm <sup>2</sup> )     | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km)          | Al (kg/km) | Težina (kg/km) |
| RG 6 75 Ω                        | 19.29          | 5.0          | 20.0                |            | 45             |
| 1,02 / 4,57 Tri-shield Coax10 AD | 57.91          | 6.9          | 7.5                 |            | 44             |
| <b>Kabel za zvučnike</b>         |                |              | <b>LFZ-XY/NYFAZ</b> |            |                |
| Dimenzije (mm <sup>2</sup> )     | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km)          | Al (kg/km) | Težina (kg/km) |
| 2 x 0,75 crveno/crni             | 20.71          | 2,20x4,40    | 14.4                |            | 22             |
| 2 x 1 crveno/crni                | 0.00           | 2,54x4,90    | 19.2                |            | 28             |
| 2 x 1,5 crveno/crni              | 40.54          | 2,90x5,90    | 28.8                |            | 36             |
| 2 x 2,5 crveno/crni              | 68.95          | 3,60x7,20    | 48.0                |            | 58             |
| 2 x 1,5 transparentni            | 40.54          | 2,90x5,90    | 28.8                |            | 40             |
| 2 x 2,5 transparentni            | 68.95          | 3,60x7,20    | 48.0                |            | 60             |
| <b>Alarm AF CCA</b>              |                |              | <b>Security</b>     |            |                |
| Dimenzije (mm <sup>2</sup> )     | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km)          | Al (kg/km) | Težina (kg/km) |
| 4 AF 22                          | 0.00           | 3.3          |                     |            | 21             |
| 6 AF 22                          | 23.61          | 4.2          |                     |            | 28             |
| <b>Alarm AF Cu</b>               |                |              | <b>Security</b>     |            |                |
| Dimenzije (mm <sup>2</sup> )     | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km)          | Al (kg/km) | Težina (kg/km) |

| <b>LiYCY</b>                    |                   |                 |               |               |                   |
|---------------------------------|-------------------|-----------------|---------------|---------------|-------------------|
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 2 x 0,75                        | 66.12             | 5.4             | 32.0          |               | 53                |
| 3 x 0,75                        | 83.30             | 5.8             | 40.0          |               | 66                |
| 4 x 0,75                        | 105.89            | 6.4             | 60.0          |               | 78                |
| 5 x 0,75                        | 130.80            | 7.1             | 72.0          |               | 99                |
| 7 x 0,75                        | 168.57            | 7.9             | 92.0          |               | 129               |
| 10x0,75                         |                   |                 |               |               |                   |
| 12x0,75                         |                   |                 |               |               |                   |
| 18x0,75                         |                   |                 |               |               |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| 3 x 1,5                         | 139.80            | 7.5             | 74.0          |               | 106               |
| <b>LAN</b>                      |                   |                 |               |               |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| Cat.5e U/UTP PVC                | 47.80             | 5.0             | 17.5          |               | 35                |
| Cat.5e U/UTP LSOH               | 50.31             | 5.1             | 17.5          |               | 35                |
| Cat.5e F/UTP                    | 58.17             | 5.9             | 19.8          |               | 36                |
| Cat.5e S/FTP                    | 86.11             | 6.4             | 30.0          |               | 46                |
| Cat.6 U/UTP PVC                 | 56.30             | 6.2             | 18.0          |               | 39                |
| Cat.6 U/UTP LSOH                | 58.79             | 6.2             | 18.0          |               | 39                |
| Cat.6 F/UTP PVC                 | 75.86             | 6.5             | 24.0          |               | 44                |
| Cat.6 F/UTP LSOH                | 76.37             | 6.5             | 24.0          |               | 44                |
| Cat.6 S/FTP                     | 44.42             | 6.9             | 29.0          |               | 49                |
| Cat.7 S/FTP                     | 50.43             | 7.5             | 44.0          |               | 75                |
| <b>Optički kabl</b>             |                   |                 |               |               |                   |
| Dimenzije<br>(mm <sup>2</sup> ) | Cena<br>(Dinar/m) | Prečnik<br>(mm) | Cu<br>(kg/km) | Al<br>(kg/km) | Težina<br>(kg/km) |
| A/J-DQ(ZN)H 4 G 50 / 125        | 107.93            | 7.5             |               |               | 35                |
| A/J-DQ(ZN)H 8 G 50 / 125        | 140.49            | 7.5             |               |               | 35                |
| A/J-DQ(ZN)H 12 G 50 / 125       | 171.26            | 7.5             |               |               | 35                |
| A/J-DQ(ZN)H 24 G 50 / 125       | 275.18            | 7.5             |               |               | 35                |
| <b>Multimode</b>                |                   |                 |               |               |                   |

| <b>Optički kabel</b>         |                |              |            | <b>Single mode</b>             |                |
|------------------------------|----------------|--------------|------------|--------------------------------|----------------|
|                              |                |              |            | (bez zaštite protiv glodavaca) |                |
| Dimenzije (mm <sup>2</sup> ) | Cena (Dinar/m) | Prečnik (mm) | Cu (kg/km) | Al (kg/km)                     | Težina (kg/km) |
| A-DQ(ZN)2Y 3x4 E9/125        | 119.08         | 9.7          |            |                                | 70             |
| A-DQ(ZN)2Y 6x4 E9/125        | 170.59         | 9.7          |            |                                | 70             |
| A-DQ(ZN)2Y 6x8 E9/125        | 300.60         | 9.7          |            |                                | 70             |
| A-DQ(ZN)2Y 6x12 E9/125       | 334.25         | 9.7          |            |                                | 70             |
| A-DQ(ZN)2Y 8x12 E9/125       | 415.21         | 9.7          |            |                                | 70             |

Cenovnik je formiran na dan 01.09.2023 i menja se zavisno o kretanju cena metala na LME.

#### TESLA KABELI d.o.o.

Batajnički drum deseti deo br.1, Zemun, Beograd, Srbija

tel: +381 11 4143 444

e-mail: office@teslacables.com

#### Kontakti:

|                    |  |              |
|--------------------|--|--------------|
| Stevan Kugli       | <a href="mailto:stevan.kugli@teslacables.com">stevan.kugli@teslacables.com</a>           | 064/2630-500 |
| Svetlana Starčević | <a href="mailto:vetlana.starcevic@teslacables.co">vetlana.starcevic@teslacables.co</a>   | 064/6476-410 |
| Stefan Radan       | <a href="mailto:stefan.radan@teslacables.com">stefan.radan@teslacables.com</a>           | 064/1009-059 |
| Vladimir Pantelić  | <a href="mailto:/ladimir.pantelic@teslacables.com">/ladimir.pantelic@teslacables.com</a> | 066/8043-050 |
| Nataša Zeka        | <a href="mailto:natasa.zeka@teslacables.com">natasa.zeka@teslacables.com</a>             | 064/8258-881 |